5.REFERENCES

1. AhamedS.AboriaAboraia, Abdel-Rahman HM, Mahfouz NM, EL-Gendy MA,(2006). Novel 5-(-2-hydroxyphenyl)-3-substituted-2,3-dihydro-1,3,4-oxadiazole-2-thionederivatives:Promisinganticancer agents.Bioorganics and medicinal chemistry letters, 14(1),1236-1246.

2. Akhter M, Husain A, Azad B, Ajmal M,(2009).Aroylpropionic acid based 2,5-disubstituted-1,3,4-oxadiazoles: Synthesis and their anti-inflammatory and analgesic activities. Eur J Med Chem, 44(4),2372–8.

3. Alawandi GN, Kulkarni MV,(2006).ChemoselectiveKnoevenagel reaction as a novel route for the synthesis of biscoumarinylmethylsulphones and 4+1, 1+4 approach synthesis of aminooxadiazolyl and N-(2,5-dimethyl)pyrrolylcoumarins. Ind J Chem. 45(B),258-66.

4. Almasirad A, Tabatabai SA, Faizi M, Kebriaeezadeh A, Mehrabi N, Dalvandi A, (2004). Synthesis and anticonvulsant activity of new 2-substituted-5-[2-(2-fluorophenoxy)phenyl]-1,3,4-oxadiazoles and 1,2,4-triazoles. Bioorg& Med ChemLett. 14(3), 6057–9.

5. Amir M, Javed SA, Kumar H,(2007). Synthesis of some 1, 3, 4-oxadiazole derivatives as potential anti-inflammatory agents. Ind J Chem. 46B,1014-9.

6. AmitC.Purohit and NavinB.Patel (2015) synthesis and antimicrobial activity of newer mannich bases of nicotinic acid based 1, 3, 4-oxadiazole-2-thione.International journal of pharmaceutical research and development Vol6 (12), 123-129.

7. AneliseS.NazariFormagioetal., (2008) Synthesis and antitumoral activity of 3-(2-substituted-1,3,4-oxadiazole 5-yl) and 3-(5-substituted-1,2,4-triazol-3-yl)β-carbonyl derivatives. Bioorganics and medicinal chemistry letters, 16, 9660-9667.

8. Banday MR, Mattoo RH, Rauf A,(2010) Synthesis, characterization and anti-bacterial activity of 5-(alkenyl)-2-amino- and 2-(alkenyl)-5-phenyl-1,3,4-oxadiazoles. J Chem Sci. 122(2),177-82.

9. Bhardwaj N, Saraf SK, Sharma P, Kumar P,(2009) Syntheses, Evaluation and Characterization of Some 1, 3, 4-Oxadiazoles as Antimicrobial Agents. E-J Chem.; 6(4):1133-8.

10. Bhardwaj N, Saraf SK, Sharma P, Kumar P,(2009) Syntheses, Evaluation and Characterization of Some 1, 3, 4-Oxadiazoles as Antimicrobial Agents. E-J Chem.; 6(4):1133-8.

11. Chandrakantha B, Shetty P, Nambiyar V, Isloor N, Isloor AM ,(2010) Synthesis, characterization and biological activity of some new 1, 3, 4-oxadiazole bearing 2-flouro-4-methoxy phenyl moiety. Eur J Med Chem.; 45:1206-10.

12. Chen C-J, Song B-A, Yang S, XuG-F, Bhadury PS, Jin L-H, et al,(2007) Synthesis and antifungal activities of 5-(3,4,5-trimethoxyphenyl)-2-sulfonyl-1,3,4-thiadiazole and 5-(3,4,5-trimethoxyphenyl)-2-sulfonyl-1,3,4-oxadiazole derivatives. Bioorg& Med Chem. 2007; 15:3981–9.

13. DalipKumar ,(2009). An effective synthesis and biological study of novel indolyl-1,3,4-oxadiazoles as potent anticancer agents. Bioorganics and medicinal chemistry letters ,19, 4492-4494.

14. Dewangan D, Pandey A, Sivakumar T, Rajavel R, Dubey RD,(2010). Synthesis of some Novel 2, 5- Disubstituted 1, 3, 4-Oxadiazole and its Analgesic, Anti-Inflammatory, Anti-Bacterial and Anti-Tubercular Activity. International Journal of ChemTech Research. 2010; 2(3):1397-412.

15. Gaonkar SL, Rai KML, Prabhuswamy B. Synthesis and antimicrobial studies of a new series of 2-{4-[2-(5-ethylpyridin-2-yl)ethoxy]phenyl}-5-substituted-1,3,4-oxadiazoles. Eur J Med Chem. 2006; 41:841–6.

16. Husain A, Ajmal M. Synthesis of novel 1,3,4-oxadiazole derivatives and their biological properties. Acta Pharm. 2009; 59:223-33.

17. Jha KK, Samad A, Kumar Y, Shaharyar M, Khosa RL, Jain J,(2010)Design, synthesis and biological evaluation of 1,3,4-oxadiazole derivatives. Eur J Med Chem.; 45:4963-7.

18. Kanthiah S, Kalusalingam A, Velayutham R, Vimala AT, Beyatricks J. (2011), Synthesis, characterization and antimicrobial evaluation of 5-(2-aminophenyl)-1,3,4-oxadiazole-2(3H)-thione derivatives. International Journal of Pharmaceutical Sciences Review and Research, 6(1):64-7.

19. Karthikeyan MS, Prasad DJ, Mahalinga M, Holla BS, Kumari NS. Antimicrobial studies of 2,4-dichloro-5-fluorophenyl containing oxadiazoles. Eur J Med Chem. 2008;43:25-31.

20. Kin ,Bhat AR, Bryant B, Williamson JS, Dayan FE. Synthesis, antitubercular activity and docking study of novel cyclic azole substituted diphenyl ether derivatives. EurJ Med Chem. 2009; 44:492-500.

21. Kini SG, Bhat AR, Bryant B, Williamson JS, Dayan FE. Synthesis, antitubercular activity and docking study of novel cyclic azole substituted diphenyl ether derivatives. EurJ Med Chem. 2009; 44:492-500.

22. Koparır M, Çetin A, Cansız A. 5-Furan-2yl[1,3,4]oxadiazole-2-thiol, 5-Furan-2yl-4H [1,2,4] triazole-3-thiol and Their Thiol-ThioneTautomerism. Molecules. 2005; 10:475-80.

23. Kucukguzel SG, Kucukguzel I, Tatar E, Rollas S, Sahin F, Gulluce M, et al. Synthesis of some novel heterocyclic compounds derived from diflunisalhydrazide as potential anti-infective and anti-inflammatory agents. EurJ Med Chem. 2007; 42:893-901.

24. Tatar E, Rollas S, Sahin F, Gulluce M, et al. Synthesis of some novel heterocyclic compounds derived from diflunisalhydrazide as potential anti-infective and anti-inflammatory agents. EurJ Med Chem. 2007; 42:893-901.

25. Kumar A, Rajput CS. Synthesis and anti-inflammatory activity of newer quinazolin-4-one derivatives. Eur J Med Chem. 2009; 44:83-90.

26. Kumar H, Javed SA, Khan SA, Amir M. 1,3,4-Oxadiazole/thiadiazole and 1,2,4-triazole derivatives of biphenyl-4-yloxy acetic acid: Synthesis and preliminary evaluation of biological properties. EurJ Med Chem. 2008; 43:2688-98.

27. Lee CH, Cho HI, Lee K-J. Synthesis of 1,3,4-Oxadiazoles Having Phenol or Thiophenol Group. Bull Korean Chem Soc. 2001;22(10):1153-55.

28. Li Y, Liu J, Zhang H, Yang X, Liu Z. (2006) Stereoselective synthesis and fungicidal activities of (E)-α-(methoxyimino)-benzeneacetate derivatives containing 1,3,4-oxadiazole ring. Bioorg& Med ChemLett.; 16:2278-82.

29. Mallikarjuna BP, Sastry BS, Kumar GVS, Rajendraprasad Y, Chandrashekar SM, Sathisha K.(2009) Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems – A novel class of potential antibacterial, antifungal and antitubercular agents. Eur J Med Chem.; 44:4739–46.

30. Mogilaiah K, Vidya K.(2006) Synthesis and antibacterial activity of 1,3,4-oxadiazolyl-1,8-naphthyridines. Ind J Chem.; 45B:1905-8.

31. Mulwad VV, Chaskar AC.(2006)Synthesis and antibacterial activity of new oxadiazolo(1,3,5)-triazine, 1,2,4-triazolo and thiadiazolo 1,3,4-oxadiazole derivatives. Ind J Chem.; 45B:1710-5.

32. Narayana B, Ashalatha BV, Raj KKV, Fernandes J, Sarojini BK.(2005) Synthesis of some new biologically active 1,3,4-oxadiazolyl nitroindoles and a modified Fischer indole synthesis of ethyl nitroindole-2-carboxylates. Bioorg& Med Chem.; 13:4638–44.

33. Naveena CS, Boja P, Kumari NS,(2010) Synthesis, characterization and antimicrobial activity of some disubstituted 1,3,4-oxadiazoles carrying 2-(aryloxymethyl)phenyl moiety. Eur J Med Chem.; 45:4708-19.

34. Prakash O, Kumar M, Kumar R, Sharma C, Aneja KR. Hypervalent iodine(III) mediated synthesis of novel unsymmetrical 2,5-disubstituted 1,3,4-oxadiazoles as antibacterial and antifungal agents. Eur J Med Chem. 2010; 45:4252-7.

35. Rai NP, Narayanaswamy VK, Shashikanth S, Arunachalam PN. Synthesis, characterization and antibacterial activity of 2-[1-(5-chloro-2-methoxy-phenyl)-5-methyl-1H-pyrazol-4-yl]-5-(substituted-phenyl)-1, 3,4oxadiazoles. Eur J Med Chem. 2009; 44:4522–7.

36. RaiedM.Shakiretal.,(2014) Synthesis of-Di-substituted 1,3,4-oxadiazole Bearing 2,6-Di-tert-butylphenol moiety and evaluation of their antioxidant activity.Molecules,19,3436-3449.

37. Ramaprasad GC, Kalluraya B, Kumar BS, Hunnur RK.(2010) Synthesis and biological property of some novel 1, 3, 4-oxadiazoles. Eur J Med Chem.; 45:4587-93.

38. Shah H, Shah B, Bhatt J, Desai N, Trivedi P, Undavia N.(2010) synthesis of 2,5-disubstituted 1,3,4-oxadiazole as potential antimicrobial,anticancer and anti-HIV agents. Ind J Chem. 37B,180-82
39. Shailaja M, Anitha M, Manjula A, Rao BV. Synthesis and biological activity of novel 2, 5-disubstituted-1, 3, 4-oxadiazoles. Ind J Chem. 49B,1088-97.

40. Sharba AHK, Al-Bayati RH, Aouad M, Rezki N. (2010)Synthesis of Oxadiazoles, Thiadiazoles and Triazoles Derived from Benzo[b]thiophene. Molecules.10:1161-8.

41. Zarghi A, Faizi M, Shafaghi B, Ahadian A, Khojastehpoor HR, Zanganeh V, (2005). Design and synthesis of new 2-substituted-5-(2-benzylthiophenyl)-1,3,4-oxadiazoles as benzodiazepine receptor agonists. Bioorg& Med ChemLett.; 15,3126–9.